



## Radiology department

# Antegrade ureteric stenting

### Introduction

This leaflet tells you about the procedure known as antegrade ureteric stenting. It explains what is involved and the benefits and risks. It may make you think of the things you would like to discuss with your doctor/s.

### What is the ureteric stent for? What will it do?

You have a blockage between your kidney and your bladder which prevents the kidney(s) from working properly. A nephrostomy tube has already been inserted into the kidney(s) to allow urine to drain into the bag attached to your back. Patients often find this inconvenient. If your doctors feel that the nephrostomy tube will be needed for more than a month or two, they may wish us to insert a ureteric stent. This is a tube placed inside your body, connecting the kidney to the bladder. If this functions properly, the nephrostomy tube can be removed, and you will then be able to urinate normally without the inconvenience of a bag on your back.

### What to tell the doctor

- If you have any allergies.
- If you have had a previous reaction to intravenous contrast medium (the dye used for some x-rays and CT scanning).
- It is important to tell the doctor or the radiology department **before attending for admission** if you are taking medication to prevent blood clots. Below is a list of some of the medications which are used to thin the blood and help to prevent blood clots.

**If you are currently taking any of these medications, please contact your referring doctor or the radiology department on 0161 446 3325 as soon as possible, as these may need to be stopped prior to your procedure. Failure to do so may result in your procedure being postponed.**

Apixaban	Dalteparin
Aspirin	Enoxaparin
Clexane	Fragmin
Clopidogrel	Rivaroxaban
Dabigatran	Warfarin

## **Is there any preparation for my stent?**

- You will need to have your blood tested either a few days before the procedure or on the day. This is just to check that it is safe to go ahead with the procedure.
- You will not be able to eat for some time before the stent as you may need sedation.
- The radiologist will explain the procedure and any possible risks to you and ask you to sign a consent form.

## **Agreeing to treatment**

We will ask you to sign a consent form agreeing to accept the treatment that you are being offered. The basis of the agreement is that you have had The Christie's written description of the proposed treatment and that you have been given an opportunity to discuss any concerns. You are entitled to request a second opinion from another doctor who specialises in treating this cancer. You can ask your own consultant or your GP to refer you. Your consent may be withdrawn at any time before or during this treatment. Should you decide to withdraw your consent then a member of your treating team will discuss the possible consequences with you.

## **Who has made the decision?**

Your situation will have been discussed and agreed at the multi-disciplinary team (MDT) meeting, attended by oncologists (cancer specialists), radiologists, surgeons, physicists, pathologists and nurses. The doctors doing the treatment will have discussed the situation and feel that this is the best treatment option. They will discuss the treatment with you.

## **Who will do the procedure?**

A specially trained doctor called a radiologist will carry out the procedure. Radiologists have special expertise in using x-ray and scanning equipment, and also in interpreting the images produced. They need to look at these images while carrying out the procedure.

## **Where will the procedure take place?**

In the special procedure room in the department of radiology.

## **How do I prepare for a ureteric stent?**

You need to be an inpatient in the hospital. We will ask you not to eat for six hours beforehand, though you will be allowed to drink water up to two hours before the procedure. You will be asked to put on a hospital gown.

If you have any allergies, you must let your doctor know. If you have previously reacted to intravenous contrast medium, (the dye used to kidney x-rays and CT scanning), then you must tell your doctor as well as the x-ray team about this.

## **What actually happens during the ureteric stent insertion?**

- On arrival at the radiology department you will have the opportunity to discuss the procedure with the radiologist.
- He or she will explain all the benefits and possible risks associated with this procedure and we will ask you to sign the consent form.

- You will lie on the x-ray table on your tummy, if possible. You will already have a needle in the vein in your arm, so that you can be given a sedative or painkillers as required. You will also have monitoring devices attached to you and will be given oxygen through small tubes in your nose.
- The radiologist needs to keep everything as sterile as possible and will wear theatre gown and gloves. The nephrostomy tube and the skin around the tube will be swabbed with antiseptic and the area will be covered with theatre towels.
- The radiologist may inject local anaesthetic down the tube and/or in the skin around the tube.
- A guide wire will then be placed through the existing tube into the kidney. The radiologist will then pull the tube out, leaving the guide wire in place. This allows the stent to be inserted over the wire and into the correct place in your ureter.
- The radiologist will use the x-ray equipment and small amounts of dye to make sure that the stent is moved into the right position.
- It is likely that a nephrostomy tube will be replaced. This will be removed once your doctors are satisfied that the stent is working properly.

### **Will it hurt?**

The local anaesthetic injected into your skin can sting for a short time. After this the procedure should not be too uncomfortable, although you may experience some discomfort or pain. There will be a nurse or another member of clinical staff looking after you. If the procedure does become uncomfortable for you, we will give more painkillers through the needle in your arm.

### **How is it held in position?**

The tube has a loop within the kidney and a second loop within the bladder which helps it to stay in place.

### **How long does it stay in place?**

For as long as it is needed. Please discuss this with your doctor. The stent is usually replaced every six months by the urology surgeon. This is usually done by passing a small telescope into the bladder.

### **How long do I need to stay in hospital?**

You will need to stay in hospital overnight to make sure the stent is working properly. You may have to stay longer if other treatment is needed.

### **How will I manage at home?**

You should be able to pass urine normally and ought not to notice the stent. You will be able to have a bath and shower as normal.

### **Are there any complications of the procedure?**

Significant complications are rare and the benefit of the stent outweighs the potential complications. This will all be explained to you in detail by the doctors performing the stent.

- If we are unable to perform the stent procedure, we will replace the nephrostomy tube.



Contact The Christie Hotline for  
urgent support and specialist advice

**The Christie Hotline:  
0161 446 3658**

Open 24 hours a day, 7 days a week

We try to ensure that all our information given to patients is accurate, balanced and based on the most up-to-date scientific evidence. If you would like to have details about the sources used please contact **patient.information@christie.nhs.uk**

© 2017 The Christie NHS Foundation Trust. This document may be copied for use within the NHS only on the condition that The Christie NHS Foundation Trust is acknowledged as the creator.

For more information about The Christie and our services, please visit **www.christie.nhs.uk** or visit the cancer information centres at Withington, Oldham or Salford.

The Christie NHS Foundation Trust  
Wilmslow Road  
Withington  
Manchester M20 4BX  
Tel: 0161 446 3000  
www.christie.nhs.uk

The Christie Patient Information Service  
January 2017 - Review January 2020

