

Department of surgery

Going home with a temporary catheter

Many patients will go home with temporary catheter after surgery. Before you are discharged we will give you all of the catheter supplies that you need and explain how to care for your catheter. We will also arrange for a district nurse to contact you at home should you need additional support.

What is a catheter?

A catheter is a small flexible tube that drains urine from your bladder. The catheter tube is passed through the urethra (water pipe) into the bladder. The catheter is held in the bladder by a water-filled balloon that prevents it falling out. The urine drains from your bladder into a bag that is strapped to your leg (a leg bag).

Drainage bags

While you are an inpatient the nursing staff will apply a leg bag to your catheter. This can be worn on your thigh, knee or calf. The leg bag is secured in place with Velcro straps. You must always keep the bag below the level of the bladder and avoid kinking the tube (picture 1).

There is a tap at the end of the catheter bag (picture 2). When the tap is open the urine will drain out. Empty the urine straight down the toilet, taking care not to touch the catheter on the toilet bowl. Only empty the catheter when it is nearly full, this will help prevent infections.

1



2



3



4



5



To reduce the risk of introducing infection, the leg bag should only be disconnected from the catheter when absolutely necessary. It should be changed every 5 - 7 days unless it is damaged or soiled. If you need to apply a new drainage bag to the catheter it is important not to touch the sterile connector.

When you go to bed attach a night bag to the bottom of the leg bag. Be careful not to touch the sterile connector. Open the tap, this will allow the free drainage of urine (picture 3). In the morning you close the tap and remove the night bag. If the bag is disposable (one use only), cut or tear the bag as shown (picture 4) and empty the urine into the toilet. You can place it in a plastic bag and throw it in with domestic waste. If it is a reusable bag, protect the sterile connector with the cap and using the tap empty the contents into the toilet. Wash the bag thoroughly with warm soapy water. The reusable night bags should be changed every 5 - 7 days unless it is damaged or soiled. To avoid the night bag touching the floor please use the stand provided (picture 5).

What is normal urine drainage?

Urine should be light yellow in colour. If your urine is dark orange you are most likely dehydrated and should drink more. Aim to drink 2 litres per day. If your urine becomes dark in colour, has a strong smell or becomes thick and cloudy and this does not improve by taking on more fluids then please contact your GP.

Initially, you may find that your urine is pink or rosé in colour. This may be due to the surgery and catheter insertion. If you notice bright red blood in your urine or large blood clots you should contact your GP or The Christie Hotline.

The amount of urine in the bag should be similar to the amount you are drinking. If there is nothing, or very little in the bag and you have been drinking plenty, then the catheter may be blocked. This can cause discomfort and puts additional pressure on your bladder and kidneys. Please contact your district nurse or The Christie Hotline; they will be able to offer advice on how to resolve this.

It is normal to get some leakage around the catheter site, particularly when opening your bowels. As long as the majority of your urine is draining into the catheter bag, then do not worry if this happens.

Hygiene

It is really important that you practise good personal hygiene and good hand hygiene to prevent infections. Shower daily and clean the area where the catheter enters your body with mild soap and water. Women should wash from front to back. Men should pay particular attention to washing under their foreskin, ensuring they pull it back afterwards. **Do not remove your leg bag, this is waterproof.**

Diet and fluids

Unless your doctor or nurse tells you otherwise, aim to drink 2 litres (6-8 glasses) of fluid a day. This will help prevent infection and help avoid constipation. A healthy diet full of fresh fruit, vegetables and fibre is recommended as this will help maintain a regular bowel pattern. Constipation can prevent your catheter draining properly and is a common cause of urinary leakage around the catheter.

What supplies should I have?

Before you go home, please make sure you have all the supplies you need to last until your trial without catheter (TWOC) appointment.

- Spare leg bags
- Leg straps
- Night bags
- Catheter stand

Catheter removal

Catheter removal is often referred to as a 'TWOC'. This stands for 'trial without catheter'. We are looking to see if you can pass urine normally once the catheter has been removed. Before you are discharged, please ensure you have your TWOC appointment. Catheter removal is nothing to worry about. It is a very quick and simple procedure. It can be uncomfortable but most people describe it as a painless but strange sensation. You will need to stay in the department until you have passed an adequate amount of urine. This can take a few hours.

Please contact your GP or The Christie Hotline if you have any of the following:

- The catheter falls out
- You have increased or new pain
- The catheter stops draining urine
- You have blood in your urine that does not clear after drinking more fluids
- Cloudy, discoloured or smelly urine
- You feel feverish or generally unwell

If you have any questions or concerns please contact us

The numbers listed are available 24 hours a day, 7 days a week.

Ward 1	0161 446 2157/2159
Surgical oncology ward	0161 446 3860/3862
The Christie Hotline	0161 446 3658

If you need information in a different format, such as easy read, large print, BSL, braille, email, SMS text or other communication support, please tell your ward or clinic nurse.

We try to ensure that all our information given to patients is accurate, balanced and based on the most up-to-date scientific evidence. If you would like to have details about the sources used please contact patient.information@christie.nhs.uk

For information and advice visit the cancer information centres at Withington, Oldham or Salford. Opening times can vary, please check before making a special journey.

Contact The Christie Hotline for
urgent support and specialist advice
The Christie Hotline: 0161 446 3658
Open 24 hours a day, 7 days a week

