

Guideline for Spinal Surgical Referral and Management

Procedure Reference:		Version:	V03
Document Owner:	MSCC Coordinator	Accountable Committee:	CSSS quality & governance committee
Date Approved:	18 February 2025	Review date:	18 December 2025
Target audience:	All Clinicians		

Metastatic Spinal Cord Compression

Guideline for Spinal Surgical Referral and Management

Referral to Salford Royal Foundation Trust (SRFT)

Early identification and management of patients with MSCC is crucial in determining good patient outcomes.

All patients in the Greater Manchester area with MSCC who need a surgical opinion will be discussed with the Salford Royal Spinal Surgical/Neurosurgical team

Urgent referral and initial management in patients with a known cancer diagnosis


- Commence patients on Dexamethasone 16 mg/day with gastric protection in line with local guidelines
- Patient to be nursed flat in bed till stability of spine is clear
- Urgent MRI scan of the whole spine to confirm diagnosis (to be done within 24 hrs.)
- Staging CT scan to identify extra-spinal metastasis
- Discuss the Clinical and radiological assessment with the MSCC co-ordinator service at The Christie.
- Surgical opinion requested for
 - Limited sites of spinal involvement
 - Cord/neural compression with neurological deficit
 - Radiological evidence of spinal cord compression
 - Patient has some useful neurological function preserved (MRC Grade 3 and above)
 - Radio-resistant tumours
 - Patient is generally fit for a general anaesthetic
 - Life expectancy of more than 6 months

Urgent referral and management in patients with an unknown primary cancer

- Arrange emergency admission to patients local hospital
- MRI scan of the whole spine to confirm diagnosis (to be done within 24 hrs.)
- Commence patient on Dexamethasone 16 mg/day, after discussion with oncology service
- Discuss with MSCC co-ordinator
- CT scan of the chest abdomen and pelvis before surgical intervention to look for primary and to rule out renal primary which may require preoperative embolization of the spinal metastasis
- Surgical opinion sought (contact SRFT) for decompression, stabilisation and biopsy

The MSCC Co-ordinator service will

Contact the Spinal team via SRFT switchboard 0161 789 7373 between the hours of 0800 hrs and 1930 hrs. After 1930 hrs the neurosurgical registrar on 07623617892 or via switchboard.



- Early surgery before established neurological deficit produces the best outcome.
- Surgery is best undertaken before radiotherapy to reduce risk of wound problems
- Patients transferred to SRFT for either assessment or surgery would be expected to be repatriated to the referring hospital for rehabilitation and/or palliation
- The surgical pathway is not absolute and when in doubt please contact the relevant Spinal/Neurological team at SRFT.

*For more information and protocols on management of MSCC see:
<http://www.christie.nhs.uk/MSCC>

CONSULTATION, APPROVAL & RATIFICATION PROCESS

All documents must be involved in a consultation process either locally within a department or division or throughout the trust at relevant board/committee meetings before being submitted for approval.

VERSION CONTROL SHEET

Version	Date	Author	Status	Comment
V1	Aug 2007	Vivek Misra	Review	Reviewed content
V2	Nov 2013 Jan 2016 Jan 2018	Rajat Verma Vivek Misra Rajat Verma Lena Richards	Update Review Review	Updated document Reviewed content Reviewed content No updates
V03	Dec 2024	Claire Shanahan, MSCC coordinator		Full review. Minor format amends. Change to owner and accountable committee.